This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently Amended) Liquid-crystalline A liquid-crystalline medium based on a mixture of polar compounds having negative dielectric anisotropy, characterised in that it comprises at least one comprising a compound of the formula I

$$R^1-(A^1-Z^1)_m$$
  $R^0$   $R^0$ 

in which  $R^0$  and  $R^1$ 

each, independently of one another, denote H, an alkyl or alkenyl radical having up to 15 C atoms, which is unsubstituted, monosubstituted by CN or CF<sub>3</sub>, or at least monosubstituted by halogen, where, in addition, in which optionally one or more CH2 groups in these radicals may be are replaced by -O-, -S-, -C=C-, -OC-O- or -O-CO- in such a way that O atoms are not linked directly to one another,

 $A^{1}$ 

- a) denotes a 1,4-cyclohexenylene or 1,4-cyclohexylene radical, in which one or two non-adjacent CH<sub>2</sub> groups may be are optionally replaced by -O- or -S-,
- b) denotes a 1,4-phenylene radical, in which one or two CH groups may be are optionally replaced by N,
- c) denotes a radical from the group consisting of piperidine-1,4-diyl-, 1,4-bicyclo[2.2.2]octylene-, naphthalene-2,6-diyl, decahydronaphthalene-2,6-diyl, 1,2,3,4-tetrahydronaphthalene-2,6-diyl, phenanthrene-2,7-diyl and or fluorene-2,7-diyl,

where the radicals a), b) and c) may be A<sup>1</sup> is optionally mono- or polysubstituted by halogen atoms,

Z¹ denotes -CO-O-, -O-CO-, -CF $_2$ O-, -OCF $_2$ -, -CH $_2$ O-, -OCH $_2$ -, -CH $_2$ CH $_2$ -, -(CH $_2$ ) $_4$ -, -C $_2$ F $_4$ -, -CH $_2$ CF $_2$ -, -CF $_2$ CH $_2$ -, -CF=CF-, -CH=CF-, -CF=CH-, -CH=CH-, -C=C- or a single bond, and

m denotes 0, 1 or 2.

2. (Currently Amended) <u>Liquid-crystalline A liquid-crystalline medium</u> according to Claim 1, <u>characterised in that it which</u> comprises at least one compound selected from the formulae I1 to of formula I1, I2, I4, I5, I6, I7, I8, I9, I10, I11, I12, I13, I14, I15, I16, I17 or I18

$$R^{1} \longrightarrow F F F$$

$$R^{2} \longrightarrow F F F$$

$$R^{3} \longrightarrow F F F$$

$$R^{4} \longrightarrow F F F$$

$$R^{5} \longrightarrow F F F$$

$$R^{5} \longrightarrow F$$

$$R^{5$$

$$R^1$$
 $O$ 
 $F$ 
 $F$ 
 $F$ 
 $F$ 
 $F$ 

17

$$R^1$$
  $O$   $F$   $F$   $F$ 

**I8** 

$$R^1$$
  $F$   $F$   $F$ 

19

$$R^1$$
 $F$ 
 $F$ 
 $F$ 
 $F$ 

110

$$R^1$$
  $O$   $F$   $F$   $F$ 

**I11** 

$$R^1$$
  $O$   $F$   $F$   $F$   $F$   $F$ 

I12

$$R^1$$
 $O$ 
 $F$ 
 $F$ 
 $F$ 
 $F$ 

I13

$$R^1 \longrightarrow 0 \longrightarrow F$$
 I18

in which R<sup>0</sup> and R<sup>1</sup> have the meanings indicated in Claim 1 for formula I.

- 3. (Currently Amended) <u>Liquid erystalline A liquid-crystalline medium</u> according to Claim 1, eharacterised in that wherein R<sup>0</sup> denotes H.
- 4. (Currently Amended) <u>Liquid-erystalline A liquid-crystalline medium</u> according to Claim 2, characterised in that it which comprises at least one compound of the formula I1.
- 5. (Currently Amended) <u>Liquid-crystalline A liquid-crystalline medium</u> according to claim 1, characterised in that it additionally comprises further comprising one or more compounds of the formulae IIA and/or IIB:

in which

R<sup>2</sup> denotes an alkyl or alkenyl radical having up to 15 C atoms, which is unsubstituted, monosubstituted by CN or CF<sub>3</sub>, or at least monosubstituted by halogen, where, in addition, in which optionally one or more CH<sub>2</sub> groups in these radicals may each be are replaced, independently of one another, by -O-, -S-, -C≡C-, -CO-, -CO-O-, -O-CO- or -O-CO-O- in such a way that O atoms are not linked directly to one another,

- p denotes 1 or 2, and
- v denotes 1 to 6.
- 6. (Currently Amended) <u>Liquid-crystalline A liquid-crystalline medium</u> according to claim 1, characterised in that it additionally comprises further comprising one or more compounds of the formula III

$$R^{31}$$
  $A$   $H$   $R^{32}$   $III$ 

in which

R<sup>31</sup> and R<sup>32</sup> each, independently of one another, denote a straight-chain alkyl, alkenyl, alkylalkoxy or alkoxy radical having up to 12 C atoms, and

- 7. (Currently Amended) Liquid-crystalline A liquid-crystalline medium according to claim 1, eharacterised in that it comprises one, which comprises two, three, four or more compounds of the formula I.
  - 8. (Currently Amended) Liquid-crystalline A liquid-crystalline medium

according to claim 1, characterised in that wherein the proportion of the compounds of the formula I in the mixture as a whole is at least 5% by weight.

- 9. (Currently Amended) <u>Liquid-crystalline A liquid-crystalline medium</u> according to <u>claim 5</u>, <u>claim 1</u>, <u>characterised in that wherein</u> the proportion of <u>the compounds</u> of the formulae IIA and/or IIB in the mixture as a whole is at least 20% by weight.
- 10. (Currently Amended) Liquid-crystalline A liquid-crystalline medium according to claim 5, elaim 1, characterised in that wherein the proportion of the compounds of the formula III in the mixture as a whole is at least 5% by weight.
- 11. (Currently Amended) Liquid-crystalline A liquid-crystalline medium according to claim 6, claim 1, characterised in that it which essentially consists of 5-30 % by weight of one or more compounds of the formula I and 20-70 % by weight of one or more compounds of the formulae IIA and/or IIB.
- 12. (Currently Amended) <u>Electro-optical An electro-optical display with active-matrix addressing based on the ECB, PALC or IPS effect, characterised in that it which contains, as dielectric, a liquid-crystalline medium according to claim 1.</u>
- 13. (New) An electro-optical display with active-matrix addressing based on the ECB, PALC or IPS effect, which contains, as dielectric, a liquid-crystalline medium according to claim 11.
- 14. (New) A liquid-crystalline medium according to claim 5, further comprising one or more compounds of formula III

in which

R<sup>31</sup> and R<sup>32</sup> each, independently of one another, denote a straight-chain alkyl, alkenyl, alkylalkoxy or alkoxy radical having up to 12 C atoms, and

15. (New) An electro-optical display with active-matrix addressing based

on the ECB, PALC or IPS effect, which contains, as dielectric, a liquid-crystalline medium according to claim 14.

16. (New) A liquid-crystalline medium according to Claim 1, which comprises at least one compound of formula Ia, Ib, Ic, Id, Ie, If or Ig

17. (New) A liquid-crystalline medium according to Claim 6, wherein the compound of formula III is a compound of formula IIIa, IIIb, IIIc, IIId, IIIe or IIIf

in which

alkyl and alkyl\* each, independently of one another, denote a straight-chain alkyl radical having 1-6 C atoms, and

alkenyl and alkenyl\* each, independently of one another, denote a straight-chain alkenyl radical having 2-6 C atoms.

18. (New) A liquid-crystalline medium according to Claim 1, which comprises at least one compound of formula Ia

19. (New) A liquid-crystalline medium according to Claim 5, which comprises at least one compound of formula Ia

20. (New) A liquid-crystalline medium according to Claim 6, which comprises at least one compound of formula Ia